

PATIENT INFORMATION LEAFLET

ViralChoice® Effervescent Tablet



sanofi

SCHEDULING STATUS:
S0

CATEGORY AND CLASS:
Class D: Complementary Medicines:
Discipline Specific: 33.7 Combination product
This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

PROPRIETARY NAME AND DOSAGE FORM:
Viralchoice® Effervescent (Tablet)
The active substances per tablet are:

Active ingredient	Amount/tablet	Role of supplement
<i>Echinacea purpurea</i> (Echinacea) [Herb dry extract, 1:1 extract]	120,00 mg	Supports in boosting the immune system, increasing the body's resistance to infections. May contribute to the reduction of symptoms and assist in shortening the duration of a cold
Ascorbic Acid (Vitamin C)	1000,00 mg	Vitamin C may help reduce the duration and intensity of a cold
Cholecalciferol (Vitamin D3)	25,00 µg	An antioxidant for the maintenance of good health
Pyridoxine (Vitamin B6)	10,00 mg	Helps in the absorption and use of calcium and phosphorous
Zinc Citrate Providing Zinc	77,42 mg 24,00 mg	Helps to metabolise carbohydrates, fats and proteins Helps to maintain immune function

Contains sugar and sweetener
Sorbitol 500 mg
Mannitol 300 mg
Sucralose 10 mg

Read all of this leaflet carefully because it contains important information for you.
Viralchoice® Effervescent are available without a doctor's prescription for you to maintain your health. Nevertheless, you still need to take **Viralchoice® Effervescent** carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share **Viralchoice® Effervescent** with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.

- What is in this leaflet.**
1. What **Viralchoice® Effervescent** is and what it is used for.
 2. What you need to know before you take **Viralchoice® Effervescent**
 3. How to take **Viralchoice® Effervescent**
 4. Possible Side effects
 5. How to store **Viralchoice® Effervescent**
 6. Contents of the pack and other information

1. What Viralchoice® Effervescent are and what it is used for.
Viralchoice® Effervescent is a discipline specific complementary medicine formulated to support immune system function.

- Supports in boosting the immune system, increasing the body's resistance to infections.
- May contribute to the reduction of symptoms and assist in shortening the duration of a cold
- Vitamin C may help reduce the duration and intensity of a cold
- An antioxidant for the maintenance of good health
- Helps to maintain and support healthy immune system function
- Helps to maintain healthy skin
- Supports wound healing
- A factor in the maintenance of good health
- Helps to metabolise carbohydrates, fats and proteins

Viralchoice® Effervescent are indicated for adult and children from 14 years of age.
Not for children younger than 14 years of age.
If symptoms persist, talk to your health care provider.

A varied diet is the most effective and safe way to achieve good nutrition, health, body composition as well as mental and physical performance.

2. What you need to know before you take Viralchoice® Effervescent

Contraindications
Do not use this product if you are allergic to any of the ingredients.
Viralchoice® Effervescent contains sorbitol. If you have been told that you have an intolerance to some sugars, you should not take **Viralchoice® Effervescent**

Warnings and precautions
Viralchoice® Effervescent contains zinc, which may be dangerous when taken in large amounts for long periods of time. Not for children under 14 years of age.

Pregnancy, breastfeeding and fertility
If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your health care provider for advice before taking this medicine.
Pregnancy
Safety during pregnancy has not been established.
Breast-feeding
Safety during breast feeding has not been established.
Fertility
No information available on fertility.

Driving and using machines
No studies on the effect on the ability to drive and use machines have been performed.

3. How to take Viralchoice® Effervescent
Do not share medicines with any other person.
Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist have told you. Check with your doctor or pharmacist if you are not sure.

The recommended dose is:
1 tablet daily for adults and children older than 14 years. Dissolve the effervescent tablet in one glass of water. Then drink the contents of the whole glass.

If symptoms persist, see your health care provider.
Not to be used in children under 14 years of age.

Vitamin and mineral supplements should not replace a balanced diet.

If you take more Viralchoice® Effervescent than you should
In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

If you for forget to take Viralchoice® Effervescent
Do not take a double dose to make up for a forgotten dose, take your usual dose at the usual time.

4. Possible side effects
High doses of vitamin C can cause diarrhoea. Allergic reactions such as urticaria and itchy eyes have also been reported with products containing echinacea. Not all side effects reported for this medicine are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your health care provider for advice

Reporting of side effects
If you get side effects, talk to your doctor or, pharmacist or nurse. You can also report side effects to SAHPRA via the **“6.04 Adverse Drug Reaction Reporting Form”**, found online under SAHPRA's publications: <https://www.sahpra.org.za/Publications/Index/8>. By reporting side effects, you can help provide more information on the safety of **ViralChoice® Effervescent**

5. How to store ViralChoice® Effervescent:

- Store at or below 25 °C.
- Keep in the original container
- Keep out of reach of children
- Do not use after the expiry date printed on the container/label.
- Return all unused medicine to your pharmacist for safe disposal.

6. What ViralChoice® Effervescent look like and contents of the pack.
What ViralChoice® Effervescent contains

- The active substances are *Echinacea purpurea* (Echinacea), Ascorbic Acid (Vitamin C), Cholecalciferol (Vitamin D3), Pyridoxine (Vitamin B6), Zinc Citrate
- The other ingredients are sunset yellow, effersoda (sodium bicarbonate), sorbitol instant, citric acid anhydrous, crillet 3, mannitol, syloid 244fp, sucralose, orange juice flavour 74016-71, peg 6000.

What ViralChoice® Effervescent looks like and content of the pack
Viralchoice® Effervescent Tablets are orange, round effervescent tablets in packs of 10 and 30 effervescent tablets in plastic tubes in a unit carton with a leaflet

Holder of Certificate of Registration
Opella Healthcare South Africa (Pty) Ltd
4th Floor, Building I, Hertford Office Park,
90 Bekker Road, Midrand, 1652

This leaflet was last revised in
24 August 2021
Date of revision: To be allocated by SAHPRA.

Registration number
This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

TBA

PASIËNTINLIGTINGSBLAD

ViralChoice® Effervescent Tablet



sanofi

SKEDULERINGSTATUS:
S0

KATEGORIE EN KLAS:
Klas D: Komplementêre Medisyne:
Dissipline-spesifiek: 33.7 Kombinasieproduk
Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

HANDELSNAAM EN DOSEERVORM:
ViralChoice® Effervescent (Tablet)
Die aktiewe bestanddele per tablet is:

Aktiewe bestanddeel	Hoeveelheid/ tablet	Rol van aanvulling
<i>Echinacea purpurea</i> (Echinacea) [Droë krui-ekstrak, 1:1 ekstrak]	120,00 mg	Help om die immuunstelsel 'n hupstoot te gee, om die liggaam se weerstand teen infeksies te verhoog. Mag help om simptome te verminder en die duur van verkoue te verkort.
Askorbiensuur (Vitamien C)	1000,00 mg	Vitamien C mag help om die duur en ernstigheidsgraad van verkouesimptome te verminder.
Cholekalsiferol (Vitamien D3)	25,00 µg	'n Antioksidant vir instandhouding van goeie gesondheid.
Piridoksien (Vitamien B6)	10,00 mg	Help met die absorpsie en benutting van kalsium en fosfor.
Sinksitraat Verskaf Sink	77,42 mg 24,00 mg	Help om koolhidrate, vette en proteïene te metaboliseer. Help om immuunfunksie te onderhou.

Bevat suiker en versoeter
Sorbitol 500 mg
Mannitol 300 mg
Sukralose 10 mg

Lees hierdie hele inligtingsblad noukeurig deur want dit bevat inligting wat belangrik is vir jou.
ViralChoice® Effervescent is beskikbaar sonder 'n dokter se voorskrif, sodat jy jou gesondheid in stand kan hou. Jy moet
ViralChoice® Effervescent nogtans versigtig neem om die beste resultate te verkry.

- Hou hierdie inligtingsblad. Dit mag nodig wees dat jy dit weer lees.
- Moenie **ViralChoice® Effervescent** met enigiemand anders deel nie.
- Vra gerus jou gesondheidsorgverskaffer of apteker indien jy verdere inligting of advies nodig het.

Wat is in hierdie inligtingsblad

- Wat is **ViralChoice® Effervescent** en waarvoor word dit gebruik
- Wat jy moet weet voordat jy **ViralChoice® Effervescent** neem
- Hoe om **ViralChoice® Effervescent** te neem
- Moontlike nuwe-effekte
- Hoe om **ViralChoice® Effervescent** te bêre
- Inhoud van die pak en ander inligting.

1. Wat is **ViralChoice® Effervescent** en waarvoor word dit gebruik

ViralChoice® Effervescent is 'n dissipline-spesifieke komplementêre medisyne wat geformuleer is om werking van die immuunstelsel te ondersteun.

- Help om die immuunstelsel 'n hupstoot te gee, wat die liggaam se weerstand teen infeksies verhoog
- Mag help om simptome te verminder en help om die duur van 'n verkoue te verkort
- Vitamien C mag help om die duur en ernstigheidsgraad van 'n verkoue te verminder
- 'n Antioksidant vir die instandhouding van goeie gesondheid
- Help om die gesonde werking van die immuunstelsel in stand te hou en te ondersteun
- Help om gesonde vel te onderhou
- Ondersteun wondgenesing
- 'n Faktor in die instandhouding van goeie gesondheid
- Help om koolhidrate, vette en proteïene te metaboliseer.

ViralChoice® Effervescent word aangedui vir volwassenes en kinders vanaf 14-jarige ouderdom.
Nie geskik vir kinders jonger as 14 jaar nie.
Indien simptome volhou, bespreek dit met jou gesondheidsorgverskaffer.

'n Gevarieerde dieet is die doeltreffendste en veiligste manier om goeie voeding, gesondheid, liggaamsamestelling, sowel as verstandelike en fisieke prestasie te behaal.

2. Wat jy moet weet voordat jy **ViralChoice® Effervescent** neem

Kontra-indikasies

Moenie hierdie produk gebruik indien jy vir enige van die bestanddele allergies is nie.

ViralChoice® Effervescent bevat sorbitol. Indien jy ingelig is dat jy onverdraagsaam vir party suikers is, behoort jy nie **ViralChoice® Effervescent** te neem nie.

Waarskuwings en voorsorgmaatreëls

ViralChoice® Effervescent bevat sink, wat gevaarlik kan wees wanneer dit in groot hoeveelhede vir lang tye geneem word. Nie vir kinders onder die ouderdom van 14 jaar nie.

Swangerskap, borsvoeding en vrugbaarheid

Indien jy swanger is of jou baba borsvoed, vermoed dat jy swanger kan wees of beplan om swanger te raak, vra jou gesondheidsorgverskaffer se advies voordat jy hierdie medisyne neem.

Swangerskap

Dit is nie bepaal of dit veilig is om tydens swangerskap te gebruik nie.

Borsvoeding

Dit is nie bepaal of dit veilig is om te gebruik wanneer jy borsvoed nie.

Vrugbaarheid

Daar is geen inligting beskikbaar oor vrugbaarheid nie.

Bestuur en die gebruik van masjiene

Geen studies is uitgevoer op die effek wat dit het op die vermoë om te bestuur en masjiene te gebruik nie.

3. Hoe om **ViralChoice® Effervescent** te neem

Moenie medisyne met enigiemand anders deel nie.

Neem hierdie medisyne altyd presies soos wat in hierdie inligtingsblad beskryf word, of soos wat jou dokter of apteker vir jou gesê het. Vra gerus jou dokter of apteker indien jy onseker is.

Die aanbevole dosis is:

1 tablet daagliks vir volwassenes en kinders ouer as 14 jaar. Los die bruistablet op in een glas water. Drink dan die hele inhoud van die glas.

Indien simptome aanhou, gaan sien jou gesondheidsorgverskaffer.
Moenie gebruik word deur kinders jonger as 14 jaar nie.

Vitamien-en-mineraal-aanvullings moenie in die plek van 'n gebalanseerde dieet gebruik word nie.

Indien jy meer **ViralChoice® Effervescent** neem as wat jy behoort te neem

In geval van oordosering, raadpleeg jou dokter of apteker. Indien nie een van hulle beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

Indien jy vergeet om **ViralChoice® Effervescent** te neem

Moenie 'n dubbele dosis neem om te vergoed vir 'n dosis wat oorgeslaan is nie, neem jou gebruikelike dosis op die gewone tyd.

4. Moontlike nuwe-effekte

Hoë dosisse vitamien C kan diarree veroorsaak. Allergiese reaksies soos urtikarie en jeukende oë is ook gerapporteer met produkte wat echinacea bevat. Nie alle nuwe-effekte wat vir hierdie medisyne gerapporteer is, word in hierdie inligtingsblad ingesluit nie. Indien jou algemene gesondheid agteruitgaan of indien jy enige ongunstige effekte ervaar terwyl jy hierdie medisyne neem, raadpleeg asseblief jou gesondheidsorgverskaffer.

Rapportering van nuwe-effekte

Indien jy nuwe-effekte ervaar, bespreek dit met jou dokter, apteker of verpleegster. Jy kan ook nuwe-effekte aan SAHPRA rapporteer via die "6.04 Vorm vir Rapportering van Ongunstige Geneesmiddelreaksies", wat aanlyn by SAHPRA se publikasies gevind kan word: <https://www.sahpra.org.za/Publications/Index/8>. Deur nuwe-effekte te rapporteer, kan jy help om meer inligting oor die veiligheid van **ViralChoice® Effervescent** te verskaf.

5. Hoe om **ViralChoice® Effervescent** te bêre

- Bêre by of onder 25 °C.
- Hou in die oorspronklike houër.
- Hou buite bereik van kinders.
- Moenie gebruik ná die vervaldatum wat op die houër/etiket gedruk is nie.
- Neem alle ongebruikte medisyne terug na jou apteker vir veilige wegdoening.

6. Hoe **ViralChoice® Effervescent** lyk en inhoud van die pak

Wat **ViralChoice® Effervescent** bevat

- Die aktiewe bestanddele is *Echinacea purpurea* (Echinacea), Askorbiensuur (Vitamien C), Cholekalsiferol (Vitamien D3), Piridoksien (Vitamien B6), Sinksitraat.
- Die ander bestanddele is Sunset Yellow, Effer-Soda (natriumbikarbonaat), sorbitol (kits), anhidriese sitroensuur, Crillet 3, mannitol, Syloid 244fp, sukralose, lemoengeursel 74016-71, PEG 6000.

Hoe **ViralChoice® Effervescent** lyk en inhoud van die pak

ViralChoice® Effervescent tablette is oranje, ronde bruistablette in pakke van 10 en 30 bruistablette in plastiekbuisse, verpak in 'n karton met 'n inligtingsblad.

Houer van die Registrasiesertifikaat

Opella Healthcare South Africa (Edms.) Bpk.
4de Vloer, Gebou I, Hertford Office Park,
Bekkerweg 90, Midrand, 1652

Hierdie inligtingsblad is laas hersien

24 Augustus 2021
Datum van hersiening: Sal deur SAHPRA aangewys word.

Registrasienuommer

Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

TBA

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

PATIENT INFORMATION LEAFLET
ViralChoice® Echinacea, Garlic, Vitamin C + Zinc
(Film coated Tablet)
Sugar free

SCHEDULING STATUS: [S0]

CATEGORY AND CLASS:

D: Complementary Medicines:

Discipline Specific: 33.7 Combination product

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

PROPRIETARY NAME AND DOSAGE FORM

VIRALCHOICE® ECHINACEA, GARLIC, VITAMIN C + ZINC (tablets)

The active substances per tablet are:

Echinacea purpurea (Echinacea herb juice dry) [Fresh herb, 45:1 extract 1000 mg of fresh herb equivalent]	22,22 mg
Allium Sativum (Garlic) [Fresh bulb, 12:1 extract providing 100 mg of fresh bulb equivalent]	8,33 mg
Ascorbic acid (Vitamin C)	500,00 mg
Zinc Gluconate Providing Zinc	14,00 mg 2,00 mg

Excipients:

Calcium hydrogen phosphate dihydrate, croscarmellose sodium, crospovidone, dl-alpha-tocopherol, hypromellose, macrogol 400, magnesium stearate, maize starch, microcrystalline cellulose, povidone, silicon dioxide, vanillin.

Sugar Free.

Read all of this leaflet carefully because it contains important information for you.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets are available without a doctor's prescription for you to maintain your health. Nevertheless, you still need to take **ViralChoice® Echinacea, Garlic, Vitamin C + Zinc** tablets carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

What is in this leaflet

1. What ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets is and what it is used for.
2. What you need to know before you take ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets
 - a. Contra-indications
 - b. Warnings and precautions
 - c. Possible side effects.
 - d. Interactions
3. How to take ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets
4. Possible Side effects when taking ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets
5. How to store ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets
6. Description of contents of the pack and container information.

1. What ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets is and what it is used for.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets, is a discipline specific combination medicinal product formulated to reduce the duration and severity of common cold symptoms.

- Assists in the relief of symptoms associated with mild upper respiratory tract infections
- Assists in reducing common cold symptoms
- Support healthy immune system function
- An antioxidant for the maintenance of good health
- Assists in boosting the body's resistance to cold, flu & other infections

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets are indicated for adult and children older than 12 years of age.

If symptoms persist, talk to your health care provider.

2. What you need to know before you take ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets

Do not take ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets:

If you are allergic to any of the ingredients as listed in this Patient Information Leaflet.

Warnings and precautions

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets should not replace a balanced diet.

Pregnancy, breastfeeding and fertility

If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your health care provider for advice before taking this medicine.

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

Pregnancy

Safety during pregnancy has not been established.

Breast-feeding

Safety during breast feeding has not been established.

Fertility

No information available on fertility.

Driving and using machines

No studies on the effect on the ability to drive and use machines have been performed.

Interactions

Always tell your health care provider if you are taking any other medicines.

3. How to take ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets

Do not share medicines with any other person.

Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist have told you. Check with your doctor or pharmacist if you are not sure.

The recommended dose is:

Take 1 tablet twice daily or as recommended by your health care provider. If symptoms persist, see your health care provider.

Vitamin and mineral supplements should not replace a balanced diet.

Method of administration

The tablets must be taken orally without chewing. It must be taken with enough liquid.

If you take more ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets than you should

Do not take a double dose to make up for a forgotten dose, take your usual dose at the usual time.

In the event of over-dosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

4. Side effects

Not all side effects reported for this medicine are included in this leaflet.

Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your health care provider for advice

5. How to store ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets

- Store at or below 25 °C

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

- Keep in the original container
- Store all medicines out of reach of children.
- Do not use after the expiry date printed on the container/label.
- Return all unused medicine to your pharmacist for safe disposal.

6. What ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets look like and contents of the pack.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablets are oval shaped, off white to pale yellow clear film coated tablet with brown or tan speckles.

60 tablets inside 95 ml white HDPE bottle.

Registration No:

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

Holder of Certificate of Registration

Opella Healthcare South Africa (Pty) Ltd
4th Floor, Building I, Hertford Office Park,
90 Bekker Road, Midrand,
1652

This leaflet was last revised in

30 November 2022

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

PASIËNTINLIGTINGSBLAD
ViralChoice® Echinacea, Garlic, Vitamin C + Zinc
(Filmbedekte Tablet)
Suikervry

SKEDULERINGSSTATUS: [S0]

KATEGORIE EN KLAS:

D: Komplementêre Medisyne:

Dissipline-spesifiek: 33.7 Kombinasieproduk

Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

HANDELSNAAM EN DOSEERVORM

VIRALCHOICE® ECHINACEA, GARLIC, VITAMIN C + ZINC (tablette)

Die aktiewe bestanddele per tablet is:

<i>Echinacea purpurea</i> (Echinacea kruieplant droë sap) [Vars kruie, 45:1 ekstrak gelykstaande aan 1000 mg vars kruie]	22,22 mg
<i>Allium Sativum</i> (Knoffel) [Vars bol, 12:1 ekstrak gelykstaande aan 100 mg vars bol]	8,33 mg
Askorbiensuur (Vitamiën C)	500,00 mg
Sinkglukonaat Verskaf Sink	14,00 mg 2,00 mg

Onaktiewe bestanddele:

Kalsiumwaterstoffosfaatdihidraat, natriumkroskarmellose, krospovidoon, dl-alfa-tokoferol, hipromellose, makrogol 400, magnesiumstearaat, mieliestysel, mikrokristallyne sellulose, povidoon, silikondioksied, vanillien.

Suikervry.

Lees hierdie hele inligtingsblad noukeurig deur want dit bevat inligting wat belangrik is vir jou.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette is beskikbaar sonder 'n dokter se voorskrif, sodat jy jou gesondheid in stand kan hou. Jy moet **ViralChoice® Echinacea, Garlic, Vitamin C + Zinc** tablette nogtans versigtig neem om die beste resultate te verkry.

- Hou hierdie inligtingsblad. Dit mag nodig wees dat jy dit weer lees.
- Moenie ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette met enigiemand anders deel nie.

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

- Vra gerus jou gesondheidsorgverskaffer of apteker indien jy verdere inligting of advies nodig het.

Wat is in hierdie inligtingsblad

7. Wat is ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette en waarvoor word dit gebruik
8. Wat jy moet weet voordat jy ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette neem
 - a. Kontra-indikasies
 - b. Waarskuwings en voorsorgmaatreëls
 - c. Moontlike newe-effekte
 - d. Interaksies
9. Hoe om ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette te neem
10. Moontlike newe-effekte wanneer ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette geneem word
11. Hoe om ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette te bêre
12. Beskrywing van die inhoud van die pak en inligting oor die houër.

7. Wat is ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette en waarvoor word dit gebruik.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette is 'n dissipline-spesifieke medisinale kombinasieprodukt wat geformuleer is om die duur en ernstigheidsgraad van verkouesimptome te verminder.

- Help om simptome wat met ligte boonstelugweginfeksies gepaardgaan, te verlig
- Help om verkouesimptome te verlig
- Ondersteun gesonde werking van die immuunstelsel
- 'n Antioksidant vir die instandhouding van goeie gesondheid
- Help om die liggaam se weerstand teen verkoue, griep & ander infeksies te versterk.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette word aangedui vir volwassenes en kinders ouer as 12 jaar.

Indien simptome volhou, bespreek dit met jou gesondheidsorgverskaffer.

8. Wat jy moet weet voordat jy ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette neem **Moenie ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette neem nie:**

Indien jy allergies is vir enige van die bestanddele, soos gelys in hierdie Pasiëntinligtingsblad.

Waarskuwings en voorsorgmaatreëls

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette moenie in plaas van 'n gebalanseerde dieet geneem word nie.

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

Swangerskap, borsvoeding en vrugbaarheid

Indien jy swanger is of jou baba borsvoed, vermoed dat jy swanger kan wees of van plan is om swanger te raak, vra jou gesondheidsorgverskaffer se advies voordat jy hierdie medisyne neem.

Swangerskap

Dit is nie bepaal of dit veilig is om tydens swangerskap te gebruik nie.

Borsvoeding

Dit is nie bepaal of dit veilig is om te gebruik wanneer jy borsvoed nie.

Vrugbaarheid

Daar is geen inligting beskikbaar oor vrugbaarheid nie.

Bestuur en die gebruik van masjiene

Geen studies is uitgevoer op die effek wat dit het op die vermoë om te bestuur en masjiene te gebruik nie.

Interaksies

Sê altyd vir jou gesondheidsorgverskaffer indien jy enige ander medisyne neem.

9. Hoe om ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette te neem

Moenie medisyne met enigiemand anders deel nie.

Neem hierdie medisyne altyd presies soos wat in hierdie inligtingsblad beskryf word, of soos wat jou dokter of apteker vir jou gesê het. Vra gerus jou dokter of apteker indien jy onseker is.

Die aanbevole dosis is:

Neem 1 tablet twee keer daaglik, of soos wat deur jou gesondheidsorgverskaffer aanbeveel is.

Indien simptome aanhou, gaan sien jou gesondheidsorgverskaffer.

Vitamien-en-mineraal-aanvullings moenie in die plek van 'n gebalanseerde dieet gebruik word nie.

Metode van toediening

Die tablette moet mondeliks geneem word en nie gekou word nie. Neem die tablet met genoeg water.

Indien jy meer ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette neem as wat jy behoort te neem

Moenie 'n dubbele dosis neem om te vergoed vir 'n dosis wat oorgeslaan is nie, neem jou gebruikelike dosis op die gewone tyd.

In geval van oordosering, raadpleeg jou dokter of apteker. Indien nie een van hulle beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

10. Nuwe-effekte

ViralChoice Echinacea, Garlic, Zinc + Vit C (Film coated tablets)

Nie alle nuwe-effekte wat vir hierdie medisyne gerapporteer is, word in hierdie inligtingsblad ingesluit nie.

Indien jou algemene gesondheid agteruitgaan of indien jy enige ongunstige effekte ervaar terwyl jy hierdie medisyne neem, raadpleeg asseblief jou gesondheidsorgverskaffer.

11. Hoe om ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette te bêre

- Bêre by of onder 25 °C.
- Hou in die oorspronklike houer.
- Bêre alle medisyne waar kinders dit nie in die hande kan kry nie.
- Moenie gebruik ná die vervaldatum wat op die houer/etiket gedruk is nie.
- Neem alle ongebruikte medisyne terug na jou apteker vir veilige wegdoening.

12. Hoe ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette lyk en inhoud van die pak.

ViralChoice® Echinacea, Garlic, Vitamin C + Zinc tablette is ovaalvormige, naaswit tot liggeel filmbedekte tablette met bruin of taankleurige spikkels.

60 tablette verpak in 'n 95 ml wit HDPE-bottel.

Registrasienommer:

Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

Houer van die Registrasiesertifikaat

Opella Healthcare South Africa (Pty) Ltd.
4de Vloer, Gebou I, Hertford Office Park,
Bekkerweg 90, Midrand, 1652

Hierdie inligtingsblad is laas hersien

30 November 2022

PATIENT INFORMATION LEAFLET

ViralChoice® Junior Syrup

Sugar free

sanofi

SCHEDULING STATUS:
S0

CATEGORY AND CLASS:
Class D: Complementary Medicines:
Discipline Specific: 33.7 Combination product
This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

PROPRIETARY NAME AND DOSAGE FORM:
ViralChoice® Junior (syrup)
Composition:

Active ingredient	Amount/5 ml	Role of supplement
<i>Echinacea purpurea</i> (Echinacea) [Blossoming tops, as 1,25 mg of 45:1 Juicing extract dry concentrate]	56,25 mg	Supports in boosting the immune system, increasing the body's resistance to infections. May contribute to the reduction of symptoms and assist in shortening the duration of a cold.
<i>Camellia sinensis</i> L. (Green tea) [Leaves, 1,052:1 providing 2,63 mg of dried herb equivalent]	2,50 mg	Green tea is a powerful antioxidant, which helps inhibit bacterial growth and infection.
<i>Rosa canina</i> L. (Rosehip) [Fruits, as 3,75 mg of a 4:1 extract]	15,00 mg	Rosehip is one of nature's richest sources of vitamin C. Rosehip contains bioflavonoids which support the benefits of vitamin C.
Ascorbic Acid (Vitamin C)	30,00 mg	Vitamin C may help reduce the duration and intensity of a cold. An antioxidant for the maintenance of good health.
Calcium-D-Pantothenate (Vitamin B5)	1,50 mg	Helps to metabolise carbohydrates, fats and proteins.
Cyanocobalamin (Vitamin B12)	1,00 mg	Contributes to normal red blood cell formation.
D-Biotin (Vitamin H)	30,00 µg	A factor in the maintenance of good health.
Pyridoxine Hydrochloride (Vitamin B6)	0,75 mg	Contributes to tissue formation.
Vitamin A Acetate	667 IU	Contributes the development and maintenance of night vision. Contributes to the development and maintenance of bones and teeth
Vitamin D	120 IU	Helps in the absorption and use of calcium and phosphorous
Vitamin E Acetate	3,00 mg	An antioxidant for the maintenance of good health.
Folic Acid	75,00 µg	Helps the body to metabolise proteins. Helps to form red blood cells

Read all of this leaflet carefully because it contains important information for you.
ViralChoice® Junior syrup is available without a doctor's prescription for you to maintain your health. Nevertheless, you still need to take **ViralChoice® Junior** syrup carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share **ViralChoice® Junior** syrup with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.

- What is in this leaflet.**
1. What **ViralChoice® Junior** syrup is and what it is used for.
 2. What you need to know before you take **ViralChoice® Junior** syrup
 3. How to take **ViralChoice® Junior** syrup
 4. Possible Side effects
 5. How to store **ViralChoice® Junior** syrup
 6. Contents of the pack and other information

1. What ViralChoice® Junior syrup is and what it is used for.
ViralChoice® Junior syrup is a discipline specific supplement formulated to support immune system function. **ViralChoice® Junior** syrup contains a combination of echinacea, green tea extract, rosehip, vitamins, minerals and trace elements. It is a nutrient supplement used when the diet alone does not include enough of these substances for optimal health.

- Support in boosting the immune system, increasing the body's resistance to infections
- May contribute to the reduction of symptoms and assist in shortening the duration of a cold
- Helps to metabolise carbohydrates, fats and proteins
- Contributes to normal red blood cell formation
- A factor in the maintenance of good health
- Contributes to tissue formation
- Contributes the development and maintenance of night vision
- Contributes to the development and maintenance of bones and teeth
- Helps in the absorption and use of calcium and phosphorous
- An antioxidant for the maintenance of good health
- Vitamin C may help reduce the duration and intensity of a cold
- Helps the body to metabolise proteins.

ViralChoice® Junior syrup is indicated for children between 1 and 10 years of age.
If symptoms persist, talk to your health care provider.

A varied diet is the most effective and safe way to achieve good nutrition, health, body composition as well as mental and physical performance.

2. What you need to know before you take ViralChoice® Junior syrup
Contraindications

Do not use this product if your child is allergic to any of the ingredients.
ViralChoice® Junior contains sorbitol. If you have been told that you have an intolerance to some sugars, you should not take **ViralChoice® Junior**
Speak to your doctor or health care provider if your child has immune system problems before you use this product. Speak to your doctor or health care provider if symptoms of cold persist, or if you notice any unusual symptoms in your child while using this product.

Warnings and precautions
Not for children under 1 year of age.

Pregnancy, breastfeeding and fertility
If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your health care provider for advice before taking this medicine.
Pregnancy
Safety during pregnancy has not been established.
Breast-feeding
Safety during breast feeding has not been established.
Fertility
No information available on fertility.

Driving and using machines

No studies on the effect on the ability to drive and use machines have been performed.

3. How to take ViralChoice® Junior syrup
Do not share medicines with any other person. Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

The recommended dose is:
As a multivitamin:
Children 1-3 years: 1 medicine measure (5 ml) daily
Children 4-10 years: 1 medicine measure (5 ml) TWICE daily (morning and evening)
Duration: Recommended duration of 2 - 4 weeks, or, as and when multivitamin supplement is needed, or as advised by your doctor.
Exceeding the daily dose is not recommended. Health supplements cannot replace a balanced diet.

During times of onset of colds:
Children 1-3 years: 1 medicine measure (5 ml) TWICE daily (morning and evening)
Children 4-10 years: 1 medicine measure (5 ml) TWICE daily (morning and evening)
Duration: Short term use for 10 days or as advised by your health care provider

If symptoms persist, see your health care provider.
Shake well before use

If you take more ViralChoice® Junior syrup than you should
In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control centre.

If you forget to take ViralChoice® Junior syrup
Do not take a double dose to make up for a forgotten dose, take your usual dose at the usual time.

4. Possible side effects
Not all side effects reported for **ViralChoice® Junior** syrup are included in this leaflet.
Should your general health worsen or if you experience any untoward effects while taking this medicine, please consult your health care provider for advice.

Reporting of side effects
If you get side effects, talk to your doctor or, pharmacist or nurse. You can also report side effects to SAHPRA via the “**6.04 Adverse Drug Reaction Reporting Form**”, found online under SAHPRA's publications: <https://www.sahpra.org.za/Publications/Index/8>. By reporting side effects, you can help provide more information on the safety of **ViralChoice® Junior** syrup.

5. How to store ViralChoice® Junior syrup

- Store at or below 25 °C.
- Keep in the original container
- Keep out of the reach of children.
- Do not use after the expiry date printed on the container/label.
- Return all unused medicine to your pharmacist for safe disposal.

6. Contents of the pack and other information
What ViralChoice® Junior syrup contains

- The active substances are Echinacea, Green tea, Rosehip, Ascorbic Acid (Vitamin C), Calcium-D-Pantothenate (Vitamin B5), Cyanocobalamin (Vitamin B12), D-Biotin (Vitamin H) , Pyridoxine Hydrochloride (Vitamin B6), Vitamin A Acetate, Vitamin D, Vitamin E Acetate, Folic Acid.
- The other ingredients are sorbitol solution 70 % (non-crystallising) c., glycerin BP, orange flavour EXP516 10/W, orange colour C016/TF, methyl hydroxybenzoate, propyl hydroxybenzoate.

What ViralChoice® Junior syrup looks like and content of the pack
200 ml orange coloured syrup in a brown screw cap bottle in a unit carton together with package insert.

Holder of Certificate of Registration
Opella Healthcare South Africa (Pty) Ltd
4th floor, Building I, Hertford Office Park,
90 Bekker Road, Midrand, 1652

This leaflet was last revised in
26 August 2021
Date of revision: To be allocated by SAHPRA.

Registration number
This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

PASIËNTINLIGTINGSBLAD

ViralChoice® Junior Stroop

Suikervry

SKEDULERINGSTATUS:

50

KATEGORIE EN KLAS:

Klas D: Komplementêre Medisyne:
Dissipline-spesifiek: 33.7 Kombinasieproduk
Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

HANDELSNAAM EN DOSEERVORM:

ViralChoice® Junior (stroop)

Samestelling:

Aktiewe bestanddeel	Hoeveelheid/5 ml	Rol van aanvulling
<i>Echinacea purpurea</i> (Echinacea) [Blomme, as 1,25 mg van 'n 45:1 sap ekstrak droë konsentraat]	56,25 mg	Help om die immuunstelsel 'n hupstoot te gee, wat die liggaam se weerstand teen infeksies verhoog. Mag help om die simptome te verlig en die duur van 'n verkoue te verkort.
<i>Camellia sinensis</i> L. (Groentee) [Blare, 1,052:1 lewer 2,63 mg van droë kruie-ekwivalent]	2,50 mg	Groentee is 'n kragtige antioksidant, wat help om bakteriële groei en infeksie te onderdruk.
<i>Rosa canina</i> L. (Roosbottel) [Vrug, as 3,75 mg van 'n 4:1 ekstrak]	15,00 mg	Roosbottel (vlesige vruggie van die roos) is een van die rykste bronne van vitamien C in die natuur. Roosbottel bevat bioflavonoïede wat die voordele van vitamien C ondersteun.
Askorbiensuur (Vitamien C)	30,00 mg	Vitamien C mag help om die duur en ernstigheidsgraad van 'n verkoue te verminder. 'n Antioksidant vir die instandhouding van goeie gesondheid.
Kalsium-D-Pantotenaat (Vitamien B5)	1,50 mg	Help om koolhidrate, vette en proteïene te metaboliseer.
Sianokobalamien (Vitamien B12)	1,00 mg	Dra by tot vorming van normale rooibloedselle.
D-Biotien (Vitamien H)	30,00 µg	'n Faktor in die instandhouding van goeie gesondheid.
Piridoksienhidrochloried (Vitamien B6)	0,75 mg	Help met weefselvorming.
Vitamien A-asetaat	667 IE	Dra by tot die ontwikkeling en instandhouding van nagvisie. Dra by tot die ontwikkeling en instandhouding van bene en tande.
Vitamien D	120 IE	Help met die absorpsie en benutting van kalsium en fosfor.
Vitamien E-asetaat	3,00 mg	'n Antioksidant vir die instandhouding van goeie gesondheid.
Foliensuur	75,00 µg	Help die liggaam om proteïene te metaboliseer. Help met die vorming van rooibloedselle.

Lees hierdie hele inligtingsblad noukeurig deur want dit bevat inligting wat belangrik is vir jou.

ViralChoice® Junior stroop is beskikbaar sonder 'n dokter se voorskrif, sodat jy jou gesondheid in stand kan hou. Jy moet **ViralChoice® Junior** stroop nogtans versigtig neem om die beste resultate te verkry.

- Hou hierdie inligtingsblad. Dit mag nodig wees dat jy dit weer lees.
- Moenie **ViralChoice® Junior** stroop met enigiemand anders deel nie.
- Vra gerus jou gesondheidsorgverskaffer of apteker indien jy verdere inligting of advies nodig het.

Wat is in hierdie inligtingsblad.

- Wat is **ViralChoice® Junior** stroop en waarvoor word dit gebruik
- Wat jy moet weet voordat jy **ViralChoice® Junior** stroop neem
- Hoe om **ViralChoice® Junior** stroop te neem
- Moontlike nuwe-effekte
- Hoe om **ViralChoice® Junior** stroop te bêre
- Inhoud van die pak en ander inligting

1. Wat is ViralChoice® Junior stroop en waarvoor word dit gebruik.

ViralChoice® Junior stroop is 'n dissipline-spesifieke aanvulling wat geformuleer is om die werking van die immuunstelsel te ondersteun. **ViralChoice® Junior** bevat 'n kombinasie van echinacea, groentee-ekstrak, roosbottel, vitamïene, minerale en spoorelemente. Dit is 'n voedingsaanvulling wat gebruik word wanneer die dieet alleen nie voldoende van hierdie stowwe insluit vir optimale gesondheid nie.

- Help om die immuunstelsel 'n hupstoot te gee, wat die liggaam se weerstand teen infeksies verhoog
- Help om koolhidrate, vette en proteïene te metaboliseer
- Dra by tot normale vorming van rooibloedselle
- 'n Faktor in die instandhouding van goeie gesondheid
- Help met weefselvorming
- Dra by tot die ontwikkeling en onderhoud van nagvisie
- Dra by tot die ontwikkeling en onderhoud van bene en tande
- Help met die absorpsie en benutting van kalsium en fosfor
- 'n Antioksidant vir die instandhouding van goeie gesondheid
- Vitamien C mag help om die duur en ernstigheidsgraad van 'n verkoue te verminder

ViralChoice® Junior stroop word aangedui vir kinders tussen die ouderdom van 1 en 10 jaar. Indien simptome aanhou, bespreek dit met jou gesondheidsorgverskaffer.

'n Gevarieerde dieet is die doeltreffendste en veiligste manier om goeie voeding, gesondheid en liggaamsamestelling te verseker, sowel as om verstandelike en fisieke prestasie te behaal.

2. Wat jy moet weet voordat jy ViralChoice® Junior stroop neem

Kontra-indikasies

Moenie hierdie produk gebruik indien jou kind vir enige van die bestanddele allergies is nie.

ViralChoice® Junior bevat sorbitol. Indien jy ingelig is dat jy onverdraagsaam vir party suikers is, behoort jy nie **ViralChoice® Junior** te neem nie

Indien jou kind probleme met sy/haar immuunstelsel het, bespreek dit met jou dokter of gesondheidsorgverskaffer voordat jy hierdie produk gebruik.

Bespreek dit met jou dokter of gesondheidsorgverskaffer indien verkoesimptome aanhou, of indien jy enige ongewone simptome by jou kind opmerk terwyl hierdie produk gebruik word.

Waarskuwings en voorsorgmaatreëls

Nie vir kinders jonger as 1 jaar nie.

Swangerskap, borsvoeding en vrugbaarheid

Indien jy swanger is of jou baba borsvoed, vermoed dat jy swanger kan wees of van plan is om swanger te raak, vra jou gesondheidsorgverskaffer se advies voordat jy hierdie medisyne neem.

Swangerskap

Dit is nie bepaal of dit veilig is om tydens swangerskap te gebruik nie.

Borsvoeding

Dit is nie bepaal of dit veilig is om te gebruik wanneer jy borsvoed nie.

Vrugbaarheid

Daar is geen inligting beskikbaar oor vrugbaarheid nie.

Bestuur en die gebruik van masjiene

Geen studies is uitgevoer op die effek wat dit het op die vermoë om te bestuur en masjiene te gebruik nie.

3. Hoe om ViralChoice® Junior stroop te neem

Moenie medisyne met enigiemand anders deel nie. Neem hierdie medisyne altyd presies soos wat in hierdie inligtingsblad beskryf word, of soos wat jou dokter of apteker vir jou gesê het. Vra gerus jou dokter of apteker indien jy onseker is.

Die aanbevole dosis is:

As 'n multivitamien:

Kinders 1 – 3 jaar: 1 medisynemaat (5 ml) daaglik.

Kinders 4 – 10 jaar: 1 medisynemaat (5 ml) TWEE KEER daaglik (soggens en saans).

Duur: Aanbevole duur van gebruik is 2 – 4 weke, of soos en wanneer 'n multivitamiënaanvulling nodig is, of soos aanbeveel deur jou dokter. Oorskryding van die daaglikse dosis word nie aanbeveel nie. Gesondheidsaanvullings kan nie 'n gebalanseerde dieet vervang nie.

Wanneer 'n verkoue begin:

Kinders 1 – 3 jaar: 1 medisynemaat (5 ml) TWEE KEER daaglik (soggens en saans).

Kinders 4 – 10 jaar: 1 medisynemaat (5 ml) TWEE KEER daaglik (soggens en saans).

Duur: Korttermyngebruik vir 10 dae of soos wat deur jou gesondheidsorgverskaffer aanbeveel is.

Indien die simptome aanhou, gaan sien jou gesondheidsorgverskaffer.

Skud die bottel deeglik voor gebruik.

Indien jy meer ViralChoice® Junior stroop neem as wat jy behoort te neem

In geval van oordosering, raadpleeg jou dokter of apteker. Indien nie een van hulle beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.

Indien jy vergeet om ViralChoice® Junior stroop te neem

Moenie 'n dubbele dosis neem om te vergoed vir 'n dosis wat oorgeslaan is nie, neem jou gebruikelike dosis op die gewone tyd.

4. Moontlike nuwe-effekte

Nie alle nuwe-effekte wat vir **ViralChoice® Junior** stroop gerapporteer is, word in hierdie inligtingsblad ingesluit nie.

Indien jou algemene gesondheid agteruitgaan of indien jy enige ongunstige effekte ervaar terwyl jy hierdie medisyne neem, raadpleeg asseblief jou gesondheidsorgverskaffer.

Rapportering van nuwe-effekte

Indien jy nuwe-effekte ervaar, bespreek dit met jou dokter, apteker of verpleegster. Jy kan ook nuwe-effekte aan SAHPRA rapporteer via die vorm om ongunstige geneesmiddelleaksies te rapporteer, wat aanlyn by SAHPRA se publikasies gevind kan word: <https://www.sahpra.org.za/Publications/Index/8>. Deur nuwe-effekte te rapporteer, kan jy help om meer inligting oor die veiligheid van ViralChoice® Junior stroop te verskaf.

5. Hoe om ViralChoice® Junior stroop te bêre

- Bêre by of onder 25 °C.
- Hou in die oorspronklike houer.
- Hou buite bereik van kinders.
- Moenie gebruik ná die vervaldatum wat op die houer/etiket gedruk is nie.
- Neem alle ongebruikte medisyne terug na jou apteker vir veilige wegdoening.

6. Inhoud van die pak en ander inligting

Wat ViralChoice® Junior stroop bevat

- Die aktiewe bestanddele is Echinacea, Groentee, Roosbottel, Askorbiensuur (Vitamien C), Kalsium-D-pantotenaat (Vitamien B5), Sianokobalamien (Vitamien B12), D-Biotien (Vitamien H), Piridoksienhidrochloried (Vitamien B6), Vitamien A-asetaat, Vitamien D, Vitamien E-asetaat en Foliensuur.
- Die ander bestanddele is sorbitol 70 % oplossing (nie-kristalliserend), gliserien BP, lemoengeursel EXP516 10/W, oranje kleurstof C016/TF, metielhidroksibensoaat en propielhidroksibensoaat.

Hoe ViralChoice® Junior stroop lyk en inhoud van die pak

200 ml oranjeleurge stroop in 'n bruin bottel met 'n skroefprop, verpak met 'n voubiljet in 'n karton.

Houer van die Registrasiesertifikaat

Opella Healthcare South Africa (Edms.) Bpk.
4de Vloer, Gebou I, Hertford Office Park,
Bekkerweg 90, Midrand, 1652

Hierdie inligtingsblad is laas hersien

26 Augustus 2021
Datum van hersiening: Sal deur SAHPRA toegewys word.

Registrasienommer

Hierdie ongeregistreerde medisyne is nie vir gehalte, veiligheid of beoogde gebruik deur SAHPRA geëvalueer nie.

